

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	("702"/\$.ccls. "701"/\$.ccls. "707"/\$.ccls. "708"/\$.ccls. "700"/\$.ccls. "375"/\$.ccls.) and ((filter\$3 with data) and (convex with hull with upper with bound) and (convex with hull with lower with bound) and (transition with point with data with set) and (estimat\$3 with trend with data with set with transition with point)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 18:48
L2	2	("702"/\$.ccls. "701"/\$.ccls. "707"/\$.ccls. "708"/\$.ccls. "700"/\$.ccls. "375"/\$.ccls.) and ((filter\$3 with data) and (convex with hull with upper with bound) and (convex with hull with lower with bound) and (transition with point with data with set) and (estimat\$3 with trend with data with set with transition with point)).clm.	US-PGPUB	OR	ON	2008/10/26 18:56
L3	2	("702"/\$.ccls. "701"/\$.ccls. "707"/\$.ccls. "708"/\$.ccls. "700"/\$.ccls. "375"/\$.ccls.) and ((filter\$3 with data) and (remov\$3 with statistical with outlier with data with set) and (prediction with cone with data with point with left with sample with window) and (prediction with cone with data with point with right with	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/10/26 18:58

		sample with window) and (data with point with test\$3 with window with reside with prediction with cone)).clm.				
S1	2	10/767034	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 17:37
S2	57	("20020087258"   "20020138230"   "3731070"   "4249238"   "4719587"   "5105372"   "5210704"   "5251151"   "5257206"   "5406502"   "5561610"   "5566091"   "5570300"   "5629871"   "5680310"   "5774385"   "5950147"   "6119074"   "6182022"   "6216066"   "6216066"   "6230095"   "6243628"   "6363330"   "6430525"   "6466858"   "6480810"   "6484132"   "6496817"   "6532412").PN.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 17:37
S3	3	S2 and (trend\$3 with program)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 17:45

S4	3	(trend\$3 with program) and (sliding with window with filter) and (estimat\$3 with trend)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/03/02 17:47
S5	3	(trend\$3 with program) and (sliding with window with filter) and (estimat\$3 with trend)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/02 17:48
S6	4	(sliding with window with filter) and (estimat\$3 with trend\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 17:15
S7	0	(sliding with window with filter) and (data near2 point) and (data near2 window)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/02 17:49
S8	43	(sliding with window with filter) and (data near2 point) and (data near2 window)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 17:13
S9	37	S8 and (data with set)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/02 17:50
S10	3	S9 and (confidence with bound)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/02 17:53
S11	2	"6182022".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/02 17:54

S12	5	(window with filter) and (data near2 point) and (data near2 window) and (confidence with bound)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/02 18:28
S13	4	(trend\$3 near2 system) and (window with filter) and (data near2 point) and (data near2 window) and (confidence with bound)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/02 18:07
S14	0	EP-0971321-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/02 18:07
S15	2	EP-971321-\$.did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/02 18:08
S16	1	WO-2003025512-\$. did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/02 18:09
S17	4	(window with filter) and (data near2 point) and (data near2 window) and (confidence with bound) and (upper with confidence with bound)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/02 18:11
S18	5	(window near2 filter) and (data near2 point) and (data near2 window) and (confidence with bound)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/02 18:28
S19	2	(sliding with window with filter) and (data near2 point) and (data near2 window) and bound and linear and statistical	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 16:43

S20	5	(sliding with window with filter) and (data near2 point) and (data near2 window) and linear and statistical	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 16:43
S21	4	(sliding with window with filter) and (data near2 point) and (confidence with bound)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 16:46
S22	5	(sliding with window with filter) and (data near2 point) and (upper with bound) and (lower with bound)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 15:55
S23	25	(sliding near2 window near2 filter) and (data near2 point) and (data near2 window)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 16:48
S24	4	S23 and (upper with bound) and (lower with bound)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 16:48
S25	4	S23 and (upper with bound)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 16:48
S26	9	("702"/\$.ccls. "701"/\$.ccls. "707"/\$.ccls. "708"/\$.ccls. "700"/\$.ccls. "375"/\$.ccls.) and (sliding with window with filter) and (data near2 point) and (data near2 window)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 17:14
S27	2	S26 and (estimat\$3 with trend\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/03/03 17:16

S28	2	S26 and (estimat\$3 with trend\$3)	US-PGPUB	OR	ON	2007/03/03 17:16
S29	3	(fault with detect\$3 with system) and (data near2 point) and (upper with bound) and (lower with bound) and (convex near2 hull)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 19:55
S30	2	S29 and (data with window with overlap \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:20
S31	2	S29 and (data with window with overlap \$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 16:20
S32	2	(fault with detect\$3 with system) and (data near2 point) and (upper with bound) and (lower with bound) and (convex near2 hull) and (small \$3 with confidence)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 19:59
S33	1	(fault with detect\$3 with system) and (data near2 point) and (upper with bound) and (lower with bound) and (convex near2 hull) and (compar\$3 with interval with confidence)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 19:57
S34	2	(fault with detect\$3 with system) and (upper with bound) and (lower with bound) and (convex near2 hull) and (small \$3 with confidence with interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 20:00

S35	3	(fault with detect\$3 with system) and (upper with bound) and (lower with bound) and (small\$3 with confidence with interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/16 20:00
S36	6	("702"/\$.ccls. "701"/\$.ccls. "707"/\$.ccls. "708"/\$.ccls. "700"/\$.ccls. "375"/\$.ccls.) and (filter\$3 with data) and (upper with bound) and (lower with bound) and (small\$3 with confidence with interval)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 11:20
S37	3	S36 and ((upper with bound) same (lower with bound) same (confidence with interval))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 11:23
S38	2	S37 and (data with window)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 11:26
S39	2	S36 and (fault with detect\$3 with system)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 11:27
S41	2	("702"/\$.ccls. "701"/\$.ccls. "707"/\$.ccls. "708"/\$.ccls. "700"/\$.ccls. "375"/\$.ccls.) and (filter\$3 with data) and (upper with bound) and (lower with bound) and (small\$3 with confidence with interval) and (data with window with overlap\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 11:29

S42	2	("702"/\$.ccls. "701"/\$.ccls. "707"/\$.ccls. "708"/\$.ccls. "700"/\$.ccls. "375"/\$.ccls.) and (filter\$3 with data) and (upper with bound) and (lower with bound) and (small\$3 with confidence with interval) and (data with window with overlap\$3)	US-PGPUB	OR	ON	2008/01/17 11:29
S44	2	("702"/\$.ccls. "701"/\$.ccls. "707"/\$.ccls. "708"/\$.ccls. "700"/\$.ccls. "375"/\$.ccls.) and ((filter\$3 with data) and (upper with bound) and (lower with bound) and (small\$3 with confidence with interval) and (data with window with overlap\$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/01/17 11:30
S45	2	("702"/\$.ccls. "701"/\$.ccls. "707"/\$.ccls. "708"/\$.ccls. "700"/\$.ccls. "375"/\$.ccls.) and (filter\$3 with data) and (upper with bound) and (lower with bound) and (small\$3 with confidence with interval) and (data with window with overlap\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 21:04
S46	2	("702"/\$.ccls. "701"/\$.ccls. "707"/\$.ccls. "708"/\$.ccls. "700"/\$.ccls. "375"/\$.ccls.) and ((filter\$3 with data) and (upper with bound) and (lower with bound) and (small\$3 with confidence with interval) and (data with window with overlap\$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/05/09 22:50

10/ 26/ 2008 7:12:37 PM

C:\Documents and Settings\jle\My Documents\EAST\Workspaces\10767034.wsp